

CORRIGENDA

The authors would like to make the following corrections to the articles listed below:

Øgreid, D. and S. O. Døskeland, The kinetics of association of cyclic AMP to the two types of binding sites associated with protein kinase II from bovine myocardium (1981) FEBS Letters 129, 287–292

page 287, lines 1 and 2 from below *should read*:
30 min at 0°C. About 1.4 mol ^{32}P /R II subunit was incorporated into trichloroacetic acid-precipitable or ammonium

instead of:
30 min at 0°C. About 1.4 mol ^{32}P was incorporated into trichloroacetic acid-precipitable or ammonium

Söling, H.-D., J. Kuduz and I. A. Brand, Inactivation of liver phosphofructokinase by phosphofructokinase phosphatase or by low pH is inhibited by fructose 2,6-bisphosphate (1981) FEBS Letters 130, 309–313

page 311, column 2, fig.4 *should appear*:




Fig.4.

Drikos, G., H. Rüppel, H. Dietrich and W. Sperling, A second crystal growth form of 11-*cis*,12-*cis* retinal, the chromophoric group in visual pigments (1981) FEBS Letters 131, 23–27

page 26, column 1, line 17 from below *should read*:
replacement of an *s-cis* by a *trans* bond as well as a devi-

instead of:
replacement of a *cis* by a *trans* bond as well as a devi-